



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Docket No. 9227.00

Application of

Marcus Haley et al.

Serial No. 09/848,003

Filed: May 3, 2001

FOR: SELF-SERVICE TERMINAL

CLAIM FOR BENEFIT OF  
EARLIER-FILED FOREIGN  
APPLICATION

Confirmation No.: 5670

Group Art Unit: 2163

Examiner: Unknown  
SEP 24 2001

RECEIVED  
OCT 01 2001  
Technology Center 2100

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231 on  
~~SEP 24 2001~~ (Date of Deposit).

  
Shirley Doll

Assistant Commissioner for Patents

Washington, D.C. 20231

Sir:

Applicants wish to claim the benefit of the filing date of the earlier G.B. Application Serial No. 0011275.5, filed on May 10, 2000, recited in the Declaration under the provision of 35 U.S.C. 119, and accordingly, Applicants submit herewith a certified copy of said application.

Respectfully submitted,



Michael Chan

Reg. No. 33,663

Attorney for Applicant(s)

NCR Corporation, Law Department, WHQ5E  
1700 S. Patterson Blvd., Dayton, OH 45479-0001  
Tel. No. 937-445-4956/Fax No. 937-445-3733

BEST AVAILABLE COPY



INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

Technology Center 2100

OCT 01 2001

RECEIVED

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated 14 August 2001

1/1/1

The  
Patent  
Office

11MAY00 E535909-1 D02073  
P01/7700 0.00-0011275.5

Patents Act 1977  
(Rule 16)



The Patent Office

Cardiff Road  
Newport  
South Wales NP9 1RH

**Statement of inventorship and of  
right to grant of a patent**

(See the notes on the back of this form. You can also get  
an explanatory leaflet from the Patent Office to help  
you fill in this form)

1. Your reference

9227

2. Patent application number  
(The Patent Office will fill in this part)

**0011275.5**

**10 MAY 2000**

3. Full name, address and postcode of the or of  
each applicant (*underline all surnames*)

NCR INTERNATIONAL, INC  
1700 SOUTH PATTERSON BOULEVARD  
DAYTON, OHIO 45479  
UNITED STATES OF AMERICA

Patents ADP number (*if you know it*)

7409352001

If the applicant is a corporate body, give the  
country/state of its incorporation

INCORPORATED IN THE STATE OF DELAWARE

4. Title of the invention

SELF-SERVICE TERMINAL

5. Name of your agent (*if you have one*)  
"Address for service" in the United Kingdom  
to which all correspondence should be sent  
(including the postcode)

B WILLIAMSON  
INTERNATIONAL IP DEPARTMENT  
NCR LIMITED  
206 MARYLEBONE ROAD  
LONDON NW1 6LY

Patents ADP number (*if you know it*)

7791767001

6. If you are declaring priority from one  
or more earlier patent applications,  
give the country and the date of filing  
of the or of each of these earlier  
applications and (*if you know it*) the or  
each application number

Country	Priority application number ( <i>if you know it</i> )	Date of Filing ( <i>day/month/year</i> )
---------	--	---

7. If this application is divided or otherwise  
derived from an earlier UK application,  
give the number and the filing date of the  
earlier application

Number of earlier application	Date of filing ( <i>day/month/year</i> )
-------------------------------	---

8. Is a statement of inventorship and of right  
to grant of a patent required in support of  
this request? (Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an  
applicant, or
- c) any named applicant is a corporate body.  
See note (d))

YES

BEST AVAILABLE COPY

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document.
- Continuation sheets of this form

Description	17
Claim(s)	3
Abstract	1
Drawing(s)	4

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translation of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

1

11.

I/We request the grant of a patent on the basis of this application.

Signature

Brian Dill

Date 10/05/2000

12. Name and daytime telephone number of person to contact in the United Kingdom

CHRISTINE SHEPPARD  
020 7725 8379

#### Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

#### Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 01645 500505
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

Patents Form 1/77

BEST AVAILABLE COPY

## SELF-SERVICE TERMINAL

The present invention relates to a self-service terminal (SST), such as an automated teller machine (ATM). In particular, the invention relates to a low cost ATM.

An ATM is expensive to buy and to maintain. One of the reasons that ATMs are so expensive to buy is that they are secure devices that require high levels of:

- (1) physical security (such as a safe) to store currency and other valuable media, and
- (2) electronic security (such as DES encryption and associated cryptographic devices) to ensure that a customer's PIN (personal identification number) is not compromised when conveyed between modules in the ATM or outside the ATM to an authorisation centre.

ATMs also require expensive user interfaces. Typical ATMs include a large display and one or more loudspeakers for presenting visual and audible information to a user. Typical ATMs also include an encrypting PIN keypad and function display keys (FDKs) to allow a user to enter selections and transaction details.

A further factor that increases the cost of an ATM is that the ATM requires highly reliable telecommunications links to enable it to communicate with a remote authorisation centre for authorising transactions requested by users. Typically ATMs are either:

- (1) connected to a dedicated ATM network through which transaction information is routed; or

- (2) connected to a public telephone network via a modem within the ATM, so that the ATM dials a telephone number of

an authorisation centre when a transaction requires authorisation.

In addition to increasing the cost of buying an ATM, the requirement for reliable telecommunications links also increases the cost of running the ATM. The need for reliable telecommunications links also limits the possibility of locating the ATM in areas which do not have a reliable telecommunication infrastructure, or in locations that are not well-suited to a connection to a fixed-point telecommunications line, such as trains or other vehicles.

It is among the objects of one or more embodiments of the present invention to obviate or mitigate one or more of the above disadvantages or other disadvantages associated with prior art self-service terminals.

According to a first aspect of the invention there is provided a self-service terminal characterised in that the terminal comprises: a communication port for interfacing with a user's portable electronic device and for receiving a transaction authorisation therefrom; and an authorisation approval facility for approving a requested transaction in the event of the transaction authorisation meeting a predetermined acceptance criterion; whereby the terminal is operable to receive a requested transaction from a user's device and to fulfil the requested transaction without the terminal preparing an authorisation request.

The terminal may further comprise a dispenser for dispensing items; whereby the terminal is operable to receive a requested transaction from a user's device and to dispense an item to fulfil the requested transaction without the terminal preparing an authorisation request.

The dispenser may dispense physical items, such as banknotes, tickets, coupons, money orders, or such like. Alternatively or additionally, the dispenser may dispense virtual items, such as data. The data may be dispensed in electronic, optical, magnetic or such like format. The data may be in a format suitable for being executed as a program or application on the user's device, or may convey information to the user.

The terminal may further comprise a storage area for receiving an item inserted by a user; whereby the terminal is operable to receive a requested transaction from a user's device and to receive an item from a user as part of the requested transaction without the terminal preparing an authorisation request. The terminal may credit funds to a user's account if the received item is a financial instrument, such as a cheque, money order, or such like.

The storage area may be a physical receptacle for storing banknotes, cheques, or other physical items. Alternatively, the storage area may be in the form of storage media (such as a magnetic disk drive) for storing electronic items (such as data uploaded from a user's portable device to the terminal).

By virtue of this aspect of the present invention, a self-service terminal is provided that does not require any telecommunications links (such as a network connection) because the terminal does not obtain authorisation from any device outwith itself. The terminal does not require any user interface (screen, encrypting PIN keypad, and such like) as all information is sent from and to the portable electronic device. The terminal does not need access to any network, as the portable device obtains authorisation itself. As a result, the terminal is inexpensive and can be

located anywhere, provided an electronic device can establish a communication there.

The requested transaction may consist of the transaction authorisation, so that only the transaction authorisation is transmitted to the terminal. Alternatively, the requested transaction may comprise the transaction authorisation and additional information. The additional information may be used to reduce the possibility of fraud.

The communication port may be a wireless communication port, such as an infra-red (IR) port, a radio-frequency (RF) port, or such like. An IR port may be an IrDA (infra-red data association) compliant port. An RF port may be a Bluetooth (trade mark) port, or such like. Alternatively, the port may be a physical cradle into which the user's portable device couples, so that the device docks in the port.

The user's portable device may be a cellular radiotelephone, a personal digital assistant (PDA), an Internet access device, or such like.

Preferably, the user's portable device includes a telecommunications link so that the portable device can dial a telephone number associated with an authorisation centre for authorising a transaction. Alternatively, but much less preferred, the user's portable device may not include any telecommunications links, each transaction being pre-authorised at an authorisation site that connects to an authorisation centre.

The dispenser may be, for example, a cash dispenser for dispensing banknotes; a ticket dispenser for dispensing tickets, coupons, or other media; or a commodity dispenser



for dispensing a commodity item, such as an integrated circuit for use in a cellular phone; or such like.

The authorisation approval facility may be a cryptographic device comprising a cryptographic processor, a secure memory, and an encryption/decryption algorithm. The authorisation approval facility may be implemented by an encrypting keypad, so that the keypad is used to examine and authorise a requested transaction.

The predetermined acceptance criterion may include the presence of a signature and/or a certificate issued by an authorisation authority, so that the authorisation approval facility examines the transaction authorisation to determine if a signature and/or certificate is present.

The terminal may store each transaction authorisation for proving that a transaction was executed.

The terminal may be an ATM. Alternatively, the terminal may be a dispensing kiosk or a kiosk for receiving items from a user, where the items may be physical (such as tickets, coupons, or such like) or virtual (data stored in electronic, optical, magnetic, or such like format).

According to a second aspect of the present invention there is provided a portable electronic device having a telecommunication link, characterised in that the device includes a user interface for entering a transaction, an authorisation request facility for preparing an authorisation request including details of the entered transaction, and a communication port for interfacing with a self-service terminal; whereby, the device is operable to transmit an authorisation request to a remote authorisation centre, to receive a transaction authorisation therefrom,

and to transmit the transaction authorisation to a terminal for fulfilling the prepared transaction.

The portable device may execute a transaction using the following steps:

- (1) dialling the telephone number of a remote authorisation centre,
- (2) transmitting an authorisation request including an identifier and a requested transaction (which was pre-entered by the user) to the authorisation centre,
- (3) receiving a transaction authorisation (in the form of an electronic token) from the authorisation centre to indicate that the requested transaction has been authorised, and
- (4) transmitting the transaction authorisation (electronic token) to the terminal.

The ATM receives this authorisation token, examines the token to ensure that it is authentic (this may involve reading a digital signature and/or a digital certificate stored in the token), stores the token in a secure memory, and dispenses the requested cash (or other item).

The identifier in step (2) includes details of the user's account, and may also include details of the portable device and/or the terminal at which the transaction is to be executed.

Each terminal may have a unique code. The code may be transmitted electronically to the portable device via the communication port.

The code may include a digital signature unique to the terminal. The code may also include time/date information relating to when the code was transmitted to the portable

device. In some embodiments, the authorisation centre may only authorise an authorisation request if the request includes a valid terminal identification, recent time/date information, and the signature associated with the identified terminal.

The authorisation request facility may be operable to include details of the transaction requested and/or an expiry time and/or date for the transaction, in addition to an authorisation for the transaction.

The authorisation request facility may be operable to include details of a specific terminal on which the transaction may be executed. This has the advantage that users will typically only authorise a transaction when in the vicinity of a terminal, thereby avoiding the problem of a user carrying a pre-authorised transaction on his/her portable electronic device.

The authorisation request facility may be operable to include details specific to the user's portable electronic device, so that only that device can be used to execute the authorised transaction. This has the advantage of avoiding or at least reducing the possibility of fraud, for example by replay attacks.

An institution may provide a user with software for installing on the user's portable device so that the telephone number of the institution's authorisation centre is dialled each time a transaction is to be authorised. The institution's authorisation centre may be operated by the institution; alternatively, the institution may have a partner agreement with the authorisation centre.

Each terminal may have an assigned telephone number (which may be displayed prominently on a visual display or

on a label attached to the terminal) so that the portable device can obtain a transaction authorisation by dialling this number. The number may be transmitted from the terminal to the portable device via the communication ports.

According to a third aspect of the present invention there is provided a system comprising the terminal of the first aspect of the invention in communication with the portable device of the second aspect of the invention.

According to a fourth aspect of the present invention there is provided an authorisation request facility for executing on a portable electronic device, the facility being operable to prepare an authorisation request including details of an entered transaction for transmission to a self-service terminal.

According to a fifth aspect of the invention there is provided a public access docking terminal for a portable electronic device, the docking terminal being operable to extend the functionality of the portable terminal, and to provide services on receipt of a transaction authorisation communicated from a portable electronic device to the terminal.

The docking terminal may require the portable device to be physically coupled thereto. Alternatively, the docking device may require the portable device to be in wireless communication thereto.

It will now be appreciated that the above aspects of the invention have the advantage that a terminal does not transmit a transaction for authorisation: the user's portable device obtains authorisation from a remote centre and the terminal validates the authorisation locally. This greatly reduces the cost of owning and maintaining a

terminal such as an ATM, particularly as the user interface on a terminal can be very simple because a user enters a transaction on his/her own user interface (on the portable electronic device). The cost of maintaining such a terminal is also reduced because there are no telecommunications costs associated with each transaction.

These and other aspects of the present invention will be apparent from the following specific description, given by way of example, with reference to the accompanying drawings, in which:

Fig 1 is a block diagram of a self-service terminal system in accordance with one embodiment of the invention;

Fig 2 is a schematic front view of a terminal of Fig 1;

Fig 3 is a block diagram of the portable electronic device of Fig 1;

Fig 4 is a schematic view of the portable device of Fig 3;

Fig 5 is a block diagram of a controller in the device of Fig 3;

Fig 6 is a block diagram of a memory in the device of Fig 3;

Fig 7 is a pictorial representation of the display of the device of Fig 3 during preparation of a transaction;

Fig 8 is a schematic diagram illustrating a user operating the portable device of Fig 3 in the vicinity of the terminal of Fig 1; and

Fig 9 is a flowchart illustrating the steps involved in obtaining a transaction authorisation.

Referring now to Fig 1, which is a block diagram of a self-service terminal system 10 in accordance with one embodiment of the present invention, the system 10 comprises an authorisation centre 12 and a plurality of SSTs 14 (only two of which are shown) which are ATMs.

The centre 12 includes an authorisation facility 16 for authorising an authorisation request, a back-office facility 18 for recording transactions and other administrative functions, and a telecommunication link 20 for receiving and transmitting authorisation information. The ATMs 14 are not connected to the authorisation centre 12, and do not include any telecommunications facility.

Fig 1 also shows one type of portable electronic device 24 in the form of a GSM cellular radiotelephone (hereinafter referred to as a cellphone) in the vicinity of one of the ATMs 14. Suitable GSM cellphones include the Nokia (trade mark) 7110 cellphone.

Fig 2 is a schematic diagram of one of the ATMs 14 of Fig 1. The ATM 14 has a safe 28 housing a processing module 30 (shown in broken line) coupled to a dispenser 32 (shown in broken line) and an approval facility 34 (also shown in broken line). The processing module 30 includes volatile and non-volatile memory (not shown). The dispenser 32 is a cash dispenser. The approval facility 34 is in the form of a cryptographic device that includes a cryptographic processor 36 and a secure memory 38.

The ATM 14 has a simple user interface 40 comprising a communications port 42 coupled to the processor 30, and a dispense area 44 in the form of a tray for receiving bank notes. The port 42 is a wireless IR port in the form of an

IrDA-compliant module for receiving and transmitting information in infra-red format.

Fig 3 illustrates the architecture of cellphone 24. Cellphone 24 comprises a controller 52, a loudspeaker 54, a microphone 56, a graphical display 58, a wireless communication port 60 in the form of an IrDA-compliant infra-red port, a keypad 62, a coder/decoder (codec) 64, an RF transmitter circuit 66, an RF receiver circuit 68, and an external antenna 70.

Fig 4 is a schematic view of the cellphone 24, which has a body 80 housing the loudspeaker 54, the microphone 56, keypad 62, the graphics display 58, the antenna 70, and the IrDA port 60.

Referring to Figs 5 and 6, the controller 52, which is responsible for the operation of the device 24, comprises a microprocessor 90, a volatile memory 92, a non-volatile memory 94, and an interface 94 for outputting and for receiving control signals.

As is known to those of skill in the art, the non-volatile memory 94, which may be EEPROM, stores the control programs 96 (Fig 6) required for radio communication and for controlling the port 60. When a user of the cellphone 24 activates a control switch (not shown), the cellphone 24 executes a routine in the control programs 96 for transmitting and receiving signals via the port 60.

As is also known to those of skill in the art, the volatile memory 92, which may be RAM, records transmission and reception control information required for radio communication, including dial information.

The microprocessor 90 uses the stored control programs 96 to execute control processes relating to radio communication.

In use, the microprocessor 90 loads the required control programs 96 from the EEPROM 94 into the RAM 92. The microprocessor 90 also loads an authorisation request facility in the form of an ATM transaction program 98 from the EEPROM 94 into the RAM 92.

The transaction program 98 provides a user of the cellphone 24 with a user interface for preparing transactions for executing on the ATM 14 and also provides an encryption/decryption facility for encrypting any transactions to be transmitted or stored. The transaction program also includes a unique identifier.

When the transaction program 98 is selected by a user of the cellphone 24, the cellphone 24 displays a series of screens in a similar way to a conventional ATM display. A typical screen 100 is shown in Fig 7, which shows various cash withdrawal options, such as ten pounds 102, twenty pounds 104, thirty pounds 106, and a download receipt option 108. The sequence of screens and the content of each screen may be customised by the user. As the user carries his/her own graphical user interface, no graphical user interface is required on ATM 14.

Referring now to Figs 8 and 9, when a user 110 wishes to withdraw cash from ATM 14, the user 110 executes the transaction program 98 (Fig 3) on his/her cellphone 24, and prepares a transaction (step 120 in Fig 9). The user 110 prepares a transaction by entering his/her PIN using display 58 (Fig 3) and selecting an option representing an amount to



be withdrawn, such as twenty pounds (104 in Fig 7). The transaction can be prepared remotely from the ATM 14 or in the vicinity of the ATM 14.

The controller 52 uses transaction program 98 to prepare an authorisation request (step 122) that includes the user's account details, the user's PIN, the unique transaction program identifier, and the prepared transaction requested (withdraw twenty pounds).

The controller 52 then encrypts the authorisation request (step 124) using the encryption facility in the transaction program 98. The encryption facility uses a public key issued by the authorisation centre 12 (Fig 1).

The cellphone 24 then transmits the request (step 126) by dialling a telephone number associated with the telecommunications link 20 in the authorisation centre 16 (Fig 1). This telephone number may be stored in the cellphone's electronic address book, in the ATM transaction program 98, or may be entered into the keypad 62 manually by the user 110.

Once the cellphone 24 has established a link with the authorisation centre 12, the cellphone 24 conveys the authorisation request to the centre 12.

On receiving the authorisation request, the authorisation facility 16 decrypts (step 128) the request (using the authorisation centre's private key) and examines (step 130) the decrypted request to determine (step 132) whether:

(1) the user's PIN matches the user's claimed identity (based on the account details), and

(2) the user 110 has sufficient funds to cover the requested transaction.

If these conditions (1 and 2 above) are met, then the authorisation facility prepares (step 134) a transaction authorisation message.

If these conditions (1 and 2 above) are not met, then the authorisation facility prepares (step 136) a transaction denied message.

The transaction authorisation is a digitally signed authorisation for the user 110 to withdraw twenty pounds from the account number contained in the authorisation request. The transaction authorisation also includes the unique transaction program identifier. The use of digital signatures to authenticate data is well known to those of skill in the art.

The telecommunications link 20 then transmits (step 138) the appropriate message (transaction authorisation or transaction denied) to the cellphone 24.

If the cellphone 24 receives a transaction denied message then this is displayed to the user 110 on the display 58.

If the cellphone 24 receives a transaction authorisation, then the user 110 may execute this at ATM 14.

To execute this transaction, the user 110 approaches ATM 14 and aligns the IR port 60 (Fig 3) with the communications port 42 in the user interface 40 of the ATM 14.

The user 110 transmits the received transaction authorisation and the unique transaction program identifier

to the ATM 14 using the IR port 60 and communications port 42, as illustrated by broken line 112.

On receiving the transmitted data (transaction authorisation and unique identifier), the IrDA port 42 conveys the transmitted data to the cryptographic device 34 via the processor 30. The cryptographic device 34 examines the transaction authorisation and decrypts the signature using the authorisation centre's public key to ensure that the transaction authorisation meets a predetermined acceptance criterion, in this embodiment, the acceptance criterion is twofold:

- (1) that the authorisation has not been modified, and
- (2) that the unique identifier contained in the transaction authorisation matches the unique identifier transmitted with the transaction authorisation.

If the transmitted data meets this acceptance criterion then the transaction is fulfilled by the ATM 14 dispensing twenty pounds to the dispense tray 40 for collection by the user 110.

The ATM 14 stores the transaction authorisation in non-volatile memory (not shown) in the processor 30 (or the cryptographic device 34) for reconciliation and audit purposes. The ATM 14 also transmits confirmation of the transaction to the cellphone 24 via ports 42 and 60.

If the transaction authorisation is not validated, for example because the authorisation has been modified, then the processor 30 transmits a message to the cellphone 24 to inform the user 110 that the transaction cannot be fulfilled. This provides the user 110 with feedback

relating to the status of the transaction.

Various modifications may be made to the above described embodiment within the scope of the invention, for example, in other embodiments, the electronic device may be a PDA, an Internet access device, or such like. In other embodiments, each electronic device may have a unique identifier that is used to stop a third party intercepting the transaction authorisation from the authorisation centre and executing the transaction using a different electronic device to that used by the user. In other embodiments, different authorisation and security techniques (for example, different encryption techniques) may be used than those described above. In other embodiments, the portable device may physically couple to the ATM and data may be transmitted through a physical connector. In other embodiments, items other than banknotes may be dispensed. In other embodiments, the self-service terminal may include a storage area for receiving items from a user; such a storage area may be used in addition to or instead of the dispenser. In other embodiments, the terminal may include a display and/or an encrypting keypad. In other embodiments, the terminal may be a conventional terminal having been retro-fitted with a communications port and a program to allow the terminal to receive a transaction authorisation from a portable device. In other embodiments, the portable device may store a series of transactions that have transaction authorisations associated with them. In other embodiments, fulfilling a transaction may involve allowing a user to use one or more of the facilities provided by the terminal, for example, a printing facility, a display, or

such like. The terminal may also provide some form of identity validation for the user.

## Claims

1. A self-service terminal (14) characterised in that the terminal comprises: a communication port (42) for interfacing with a user's portable electronic device (24) and for receiving a transaction authorisation therefrom; and an authorisation approval facility for approving a requested transaction in the event of the transaction authorisation meeting a predetermined acceptance criterion; whereby the terminal is operable to receive a requested transaction from a user's device and to fulfil the requested transaction without the terminal preparing an authorisation request.

2. A self-service terminal (14) according to claim 1, wherein the terminal further comprises a dispenser (32) for dispensing items; whereby the terminal (14) is operable to receive a requested transaction from a user's device (24) and to dispense an item to fulfil the requested transaction without the terminal preparing an authorisation request.

3. A self-service terminal (14) according to claim 1 or 2, wherein the terminal further comprises a storage area for receiving an item inserted by a user; whereby the terminal (14) is operable to receive a requested transaction from a user's device (24) and to dispense an item to fulfil the requested transaction without the terminal preparing an authorisation request.

4. A terminal according to claim 1, wherein the communication port is a wireless communication port.

5. A terminal according to claim 1, wherein the communication port is a physical cradle into which the user's portable device couples.

6. A terminal according to any preceding claim, wherein the terminal stores each transaction authorisation for proving that a transaction has been executed.

7. A terminal according to any preceding claim, wherein the terminal is an ATM.

8. A portable electronic device (24) having a telecommunication link, characterised in that the device (24) includes a user interface (54,56,58,62) for entering a transaction, an authorisation request facility (98) for preparing an authorisation request including details of the entered transaction, and a communication port (60) for interfacing with a self-service terminal; whereby, the device is operable to transmit an authorisation request to a remote authorisation centre (12), to receive a transaction authorisation therefrom, and to transmit the transaction authorisation to a terminal (14) for fulfilling the prepared transaction.

9. A device according to claim 8, wherein the authorisation request facility (98) is operable to include details of the transaction requested and/or an expiry time and/or date for the transaction, in addition to an authorisation for the transaction.

10. A device according to claim 8 or 9, wherein the authorisation request facility (98) is operable to include details of a specific terminal on which the transaction may be executed.

11. A device according to claim 8, 9 or 10, wherein the authorisation request facility (98) is operable to include details specific to the device, so that only that device can be used to execute the authorised transaction.

12. A system comprising the terminal of claim 1 and the device of claim 8.

13. An authorisation request facility (98) for executing on a portable electronic device (24), the facility (98) being operable to prepare an authorisation request including details of an entered transaction for transmission to a self-service terminal.

14. A public access docking terminal for a portable electronic device, the docking terminal being operable to extend the functionality of the portable terminal, and to provide services on receipt of a transaction authorisation communicated from a portable electronic device to the terminal.



SELF-SERVICE TERMINAL

Abstract

A self-service terminal (14), such as an ATM, and a portable electronic device (24), such as a cellular telephone or a PDA, are described. The ATM has a communication port (42) for interfacing with a user's electronic device (24); a dispenser (32) for dispensing valuable items; and an authorisation approval facility for approving a transaction authorisation. The terminal (14) is operable to receive a transaction authorisation from a user's device (24), to examine the transaction authorisation, and to dispense an item to fulfil a requested transaction associated with the transaction authorisation, without the terminal preparing an authorisation request.

[Figs 1 and 8]

1/4




Fig 1




Fig 2

2/4




Fig 3




Fig 4




Fig 5

3/4




Fig 6




Fig 7





Fig 8

Fig 9